

Set - EPOXY FLOOR WITH SAND BY TECHNIART FLOOR SYSTEM 200 TECHNOLOGY (OPTION NQ THICKNESS 1-2MM)



Rating: Not Rated Yet

Price

Price with discount 23,00 €

[Ask a question about this product](#)

Description

Set - EPOXY FLOOR WITH SAND BY TECHNIART FLOOR SYSTEM 200 TECHNOLOGY (OPTION NQ THICKNESS 1-2MM)

Thin-layer colored epoxy resin floor with natural quartz aggregate. Available in many attractive colors, easy to apply. Ideal for use in: garage, technical room, workshop.

PACKAGE INCLUDES:

Primer resin: TECHNIPLAST 400 RST

NATURAL SAND fraction 0.4-0.8 mm

Colored epoxy resin: TECHNIPLAST 200 in any color of your choice.

CONSUMPTION (this consumption refers to the execution of the floor on a flat surface)

For 10 m2:

TECHNIPLAST 400 RST - 4.5 kg

Sand 0.4-0.8 mm - 25 kg

TECHNIPLAST 200 - 12.5 kg

For 20 m2:

TECHNIPLAST 400 RST - 7.5 kg

Sand 0.4-0.8 mm - 50 kg

TECHNIPLAST 200 - 25 kg

For 30 m2:

TECHNIPLAST 400 RST - 12 kg

Sand 0.4-0.8 mm - 75 kg

TECHNIPLAST 200 - 37.5 kg

For 40 m2:

TECHNIPLAST 400 RST - 15 kg

Sand 0.4-0.8 mm - 100 kg

TECHNIPLAST 200 - 50 kg

For 50 m2:

TECHNIPLAST 400 RST - 22.5 kg

Sand 0.4-0.8 mm - 125 kg

TECHNIPLAST 200 - 50 kg

Available colors:

RAL: 1001, 1011, 3009, 6021, 7001, 7030, 7032, 7040, 7045, 7046, 7047, 1021.1015, 6001, 6011, 7035, 8017, 9003, 9005, 5024.

Note: for light colors RAL 1001, 1021, 7032, 7035, 7047, 9003, 1021 min. three coats of paint for a more opaque finish.

Products offered:

Natural aggregate, Decorative flakes, TECHNIPLAST 1000

We offer materials and services for the installation of polymer floors

Available colors:

colored epoxy flooring

RAL: 1001, 1011, 3009, 6021, 7001, 7030, 7032, 7040, 7045, 7046, 7047, 1021, 1015, 6001, 6011, 7035, 8017, 9003, 9005, 5024, 3001, 5023, 7024, 7038

Note: for light colors RAL 1001, 1021, 7032, 7035, 7047, 9003, 1021, apply at least three coats.