


TP200 STR Two-component colored structural epoxy 6.25kg

TECHNIPLAST

200 STR



Rating: Not Rated Yet
Price

Price with discount 79,90 €

[Ask a question about this product](#)

Description

TECHNIPLAST 200 STR - COLORED STRUCTURAL EPOXY RESIN.

Two-component colored epoxy resin for floors and coatings in painting technique with structured surface finish according to TECHNIART FLOOR SYSTEM technology.

Characteristic:

- attractive colors
- high chemical and mechanical resistance;
- easy to apply;
- solvent-free product;
- surface finish with lamb effect;
- optically masks the unevenness of the base;

Places of use:

- car parks and garages,
- Technical buildings,
- utility room,
- offices,
- warehouses,
- industrial facilities,
- government agencies,
- office space,
- stairs,
- storage cells,
- perfect coverage on uneven surfaces.

Examples of consumption in TECHNIArt FLOOR SYSTEM:

STRUCTURAL COATING approx. 0.6 mm

PRIMER TECHNIPLAST 400 RST ~ 0.4-0.6 kg/m²

FILLING WITH QUARTZ SAND NQ 0.1-0.4 mm or NQ 0.2-0.8 mm ~ no more than 1 kg (optional)

BASIC COATING TECHNIPLAST 200 STR ~ 0.5-0.7 kg/m²

Available packages:

6.25 kg, 12.5 kg, 25 kg

Available colors:

RAL: 1001, 1011, 3009, 6021, 7001, 7030, 7032, 7040, 7045, 7046, 7047, 1021, 1015, 6001, 6011, 7035, 8017, 9003, 9005, 5024, 3001, 5023, 7024, 7038

Note: for light colors RAL 1001, 1021, 7032, 7035, 7047, 9003, 1021, apply at least three coats.